2022 Vehicle Technologies Annual Merit Review June 21–23, 2022

Guidelines and Slide Examples R&D Oral and Poster Presentations

Table of Contents

Changes at a Glance for 2022	<u>5</u>
Submission Deadline	<u>6</u>
Legal Indemnification	<u>7</u>
General Guidance and Instructions	
Creating and Naming Your Presentation Files	<u>8</u>
Overall Presentation Structure	<u>9</u>
Formatting Your Presentation	<u>11</u>
Adding Images to Your Presentation	<u>13</u>
Animations and Videos	<u>14</u>
Content Restrictions	<u>15</u>
Copyright Restrictions	<u>16</u>
Use of Logos	<u>17</u>
60-, 45-, and 30-Minute Oral Recommended Slide Order	<u>18</u>
20-, and 15-Minute Oral Recommended Slide Order	<u>19</u>

Table of Contents (Continued)

Preparing Your PowerPoint for Web Publication/PDF	20
Adding Alt Text to Your Presentation	21
Adding Presentation Detail Information	23
Creating Final Version of Your Presentation	24
Creating PDF Version of Your Presentation	25
Verifying PDF File	26
Submitting Your Presentation	27
Presenting at the AMR	
Oral Virtual Presentations	28
Poster Presentations	29
Oral Presentation Time Limits	31
Late Information Addition	32
R&D Evaluation Criteria	33

Table of Contents (Continued)

Slide Instructions and Examples	
Slide Titles and Key Results	34
Instructions for Specific Slides	35
Title Slide	36
Overview	39
Relevance and Subprogram Goals	42
Milestones	45
Approach	47
Technical Accomplishments and Progress	49
Responses to Previous-Year Reviewers' Comments	52
Collaboration and Coordination with Other Institutions	54
Remaining Challenges and Barriers	56
Proposed Future Research	58
Summary	60
Technical Backup	62
Reviewer-Only Slides	64
Publications and Presentations	65
Critical Assumptions and Issues	66

Changes at a Glance for 2022

- All oral presentation and posters must be turned in to ORAU (VTAMR@ORAU.org) no later than APRIL 29, 2022.
- The AMR will be hybrid (virtual/in-person). Presenters of oral presentations are encouraged to attend in person. If there are any concerns with being on site, the VTO AMR team will accommodate for a virtual presentation. The AMR poster session will be virtual.
- Please use a 16:9 aspect ratio for your slides.
- These instructions apply to both oral presentations and posters unless we note a distinction between the two.

Submission Deadline

Presentations and posters are due to VTAMR@ORAU.org no later than APRIL 29, 2022.

No exceptions.

Legal Indemnification

FOR INFORMATION ONLY, DO NOT INCLUDE IN PRESENTATION.

By submitting a presentation file to Oak Ridge Institute for Science and Education (ORISE) for use at the U.S. Department of Energy's (DOE's) Vehicle Technologies Office Annual Merit Review Meeting and to be provided as hand-out materials, and posting on the DOE's website, except for employees of the Federal Government and DOE laboratory managing and operating contractors, the presentation authors and the organizations they represent agree to defend, indemnify and hold harmless ORISE, its officers, employees, consultants and subcontractors, and the DOE from and against any and all claims, losses, liabilities or expenses which may arise, in whole or in part, from the improper use, misuse, unauthorized use or disclosure, or misrepresentation of any intellectual property claimed by others. Such intellectual property includes copyrighted material, including documents, logos, photos, scripts, software, and videos or animations of any type; trademarks; service marks; patents; and proprietary, or confidential information.

Employees of Federal Government agencies and DOE laboratory managing and operating contractors collectively represent and warrant that they have acquired the rights and/or permission for use of all intellectual property, as listed above and claimed by others, that is needed for developing and submitting a presentation file to ORISE for use at the DOE's Vehicle Technologies Office Annual Merit Review Meeting, and to be provided as hand-out materials, and posted on the DOE's website.

Creating Your Presentation Files

- Your presentation is public and will be posted to the DOE Vehicle Technologies Office (VTO) Annual Merit Review (AMR) website.
- You are required to create the following two files:
 - A Microsoft PowerPoint file following the instructions and guidelines contained within this PowerPoint template. Acceptable formats for presentations are either .ppt or .pptx
 - Once your PowerPoint presentation is complete, you must create a <u>PDF</u> version of your PowerPoint presentation following the instructions in this document.
- You may design your slides on either a PC or a Mac.
- Naming your files: Use the file name that ORAU sent you in your presentation request email to name your electronic PowerPoint and Adobe files:

```
Proj#_PI LastName_2021_o
```

Example: ACE002_smith_2021_o

Overall Presentation Structure

- Primary Presentation: These are the slides you will actually be presenting.
 - Please only include work that has taken place since the 2021 AMR.

Time slot duration	Maximum number of slides
60 minutes	40 slides
45 minutes	30 slides
30 minutes	20 slides
20 minutes	15 slides
15 minutes	10 slides

- **Technical Backup Slides:** These will be included in the presentation file but are intended to answer questions/provide additional information. These will be posted on the VTO AMR website.
 - Maximum 5 slides
 - Place these slides after the main presentation and separate them with a divider that says, "Technical Backup Slides."

Overall Presentation Structure (Continued)

- Reviewer-Only Slides: These will <u>not</u> be posted on the VTO AMR website.
 - We do not require reviewer-only slides, but we recommend that you prepare slides to elaborate on issues of interest to the reviewers.
 - There is no limit to the number, but you should limit the number of slides to essential information and not overwhelm the reviewers.
 - Place these slides after any "Technical Backup" slides and separate them with a divider that says, "Reviewer-Only Slides."

Formatting Your Presentation

- **Format**: Use a <u>16:9 format</u> for your presentation:
 - PC: Design → Slide size → Widescreen (16:9)
 - \circ Mac: File \rightarrow Page Setup \rightarrow Slides sized for \rightarrow 16:9

• Font:

- O Do not use proprietary fonts. All fonts in the presentation must be standard across Windows and Mac platforms or information may be lost when creating the Adobe PDF version of your presentation. Use only <u>Arial, Times New Roman, Courier New, Verdana, or Trebuchet MS</u>.
- Use <u>at least a 12-point font</u>. Fonts should be large enough that audience members in the back of the room can read the slides.

Formatting Your Presentation (Continued)

- Ensure there is <u>high contrast</u> between text and background for best readability. We recommend a white background along with black or dark text. Light or gray text is hard to read at a distance so adjust your template accordingly.
- Please <u>remove any copyright indicia</u> from your company template so that your presentation can be posted on the AMR website.
- Spell out acronyms and chemical formulas the first time that you use them.
- Add Alt Text to all graphics, tables, and charts.
- Fill out the Properties box for your presentation.

Adding Images to Your Presentation

- Do not copy/paste images into your presentation.
 - On PC: Insert the image using the "Insert/Picture/File name" menu option of PowerPoint rather than copying/pasting.
 - On Mac: Insert the image using "Insert/Picture/Picture From File" menu option of PowerPoint rather than copying/pasting.
- Crop images in an image processing software instead of PowerPoint. Save the images as an external file (.jpg and .png file formats work well).
- Inserting original images into your presentation works best for preserving image clarity. If originals are not available, it may be an indication the image is copyrighted.

Animations and Videos

- Use animated text and/or figures only if absolutely necessary. Unnecessary animations can distract the audience from your message.
- Be aware that animations do not convert to PDF and animated information may not be visible to reviewers or in the final PDF posted on the VTO AMR website.
- Videos do not translate to PDF reliably and will not be posted on the VTO AMR website.

Content Restrictions

- Your presentation is public and will be posted on the VTO AMR website.
- You must include the phrase "This presentation does not contain any proprietary, confidential, or otherwise restricted information" on at least the first slide (you may put on all slides if you wish).
- Do not include any proprietary or confidential information. It is your responsibility to ensure that any subcontractor information is not proprietary or confidential.
- You must remove the copyright indicia on your company template if that indicia is part of the template; otherwise, we cannot post your presentation on the VTO AMR website.
- Your presentation may **not** include any slide that has "Official Use Only" or "Sensitive" or any similar wording, or information that your organization might construe as being in such categories.
- You must include the phrase "Any proposed future work is subject to change based on funding levels." on all slides with future-looking statements.

Copyright Restrictions

- If you use any copyrighted information or graphics or intellectual property, it must be properly attributed.
- Do not assume subcontractor information may be used without their approval.
- Do not assume that information or images published on a website can be used without permission.
- If you use copyrighted graphics (including copyrighted photos and journal and magazine covers), you
 must provide written permission along with your submitted file for it to be accepted by DOE for the
 purposes of the AMR.
- Intellectual property includes copyrighted material, including documents, logos, photos, scripts, software, and videos or animations of any type; trademarks; service marks; patents; and proprietary or confidential information.
- Also see the indemnification statement on p. 7.

Use of Logos

• **Do NOT** use the DOE logo or seal in your presentation. Some examples include:







- **Do NOT** use the EERE slide template.
- If you use corporate logos for organizations other than your own, secure permission for use.

60-, 45-, and 30-Minute Oral Recommended Slide Order

- Title Slide: must include Project ID, name of principal investigator, name of presenter if different, and "This presentation does not contain any proprietary, confidential, or otherwise restricted information."
- Overview Slide: must include timeline, budget, barriers, and partners
- Relevance
- Milestones (if not included as part of Approach)
- Approach
- Technical Accomplishments and Progress
- Responses to Previous Year Reviewers' Comments
- Collaboration and Coordination with Other Institutions
- Remaining Challenges and Barriers
- Proposed Future Research
- Summary Slide

Additional slides after Summary Slide:

- Technical Backup Divider Slide
- Technical Backup Slides
- Reviewer-Only Divider Slide
- Reviewer-Only Slides
 - Publications & Presentations
 - Critical Assumptions & Issues

20- and 15- Minute Oral Recommended Slide Order

- Title Slide must include Project ID, name of principal investigator, name of presenter if different, and "This presentation does not contain any proprietary, confidential, or otherwise restricted information."
- Overview Slide must include timeline, budget, barriers, and partners
- Relevance
- Approach
- Technical Accomplishments and Progress
- Collaboration and Coordination with Other Institutions
- Proposed Future Research
- Summary Slide

Additional slides after Summary Slide:

- Technical Backup Divider Slide
- Technical Backup Slides
- Reviewer-Only Divider Slide
- Reviewer-Only Slides
 - Publications & Presentations
 - Critical Assumptions & Issues

Preparing your PowerPoint for Web-Publication/PDF

Create your web-ready PDF file (the file that will be published on the VTO AMR website) using the following instructions on the next pages (p. 21-26) to:

- Add Alt Text
- Add presentation detail information
- Create and verify the final PDF

Adding Alt Text to Your Presentation


- You must add alternate text (Alt Text) to key graphics, charts, and tables on each slide.
- Alt Text helps visually impaired people who use screen readers to know what the picture shows.
- Be accurate and succinct. You do not have to say "image of..." or "graphic of...."
- A good Alt-Text example of a picture of a crowd at a basketball game:

"A large, diverse group of cheering students, standing up, and fist-pumping on the bleachers of a basketball game."

To Add Alt Text to a Chart, Graph, or Image

Note: These instructions are for PowerPoint 2013. If you have a newer version, you may be able to right click on the graph or

chart and select "Edit Alt Text" directly from the menu.



2. Select the "Alt Text" option and enter the Title and a short brief Description of the chart

3. Close the Format Picture pane to return to the PowerPoint slide

Format Picture


Adding Presentation Detail Information

- Under the File tab, select Info
- Click on "Properties" and then select "Advanced Properties"

On the "Summary" tab of the pop up window, complete the following fields:

- **Title**: Enter the title of your presentation
- Subject: Substitute your Project ID into the subject
- Author: Enter the PI Name and Company

- Save preview picture: Make sure this box is checked
- Press OK



Creating Final Version of Your Presentation

- Once your PowerPoint presentation is final, you must minimize your PowerPoint's file size.
- Do this by using the "Save As" option to save the final version of your file as a PowerPoint presentation.
- Doing a simple "Save" command will not minimize file size.
- You can "Save As" an existing PowerPoint filename if needed.

Creating PDF Version of Your Presentation

- You are also required to submit a PDF version of your presentation.
- After saving your PowerPoint file using the "Save As" option, save the file as a PDF using the same naming conventions as your PowerPoint file.
 - If you have Adobe Acrobat Pro software, you can use the Acrobat PowerPoint plug-in or select "Save As Adobe PDF" to create your PDF.
 - If you do not have Acrobat Pro, click "Save As" and select "PDF" from the Save As type menu.
- Click the "Options" button in the Save As window and make sure to check the box to enable accessibility tags. Look for text that says "Document structure tags for accessibility" or "Enable accessibility and reflow with tagged Adobe PDF."
- Click "Save".
- Select "NO" if asked if you would like to convert the presentation's speaker notes to text annotations in the PDF.

Verifying PDF File

After you create the PDF,

- Scroll through the document and look at every page to ensure the PDF matches the PowerPoint file.
- Look for missing items from charts, such as legends and axis titles, which sometimes disappear due to incorrect object reordering that can result from the tagging process for accessibility.
- If you do find issues that you're not able to fix, a communications or publishing specialist at your organization may be able to help. Or, you can contact <a href="https://www.vtammon.com/vtammon.

Submitting Your Presentation

- You must submit your presentation files to ORISE no later than APRIL 29, 2022.
- Submit your presentation to ORISE by sending an email with the following items to VTAMR@ORAU.org:
 - Your PowerPoint presentation file (.ppt or .pptx)
 - The PDF version of your PowerPoint presentation (.pdf)
 - Any changes to title or presenter. Title changes must be approved in advance by your VTO Technology Manager.
- If your presentation files are too large to submit through email, request an alternate delivery method by emailing VTAMR@ORAU.org.

Oral Presentations


- Presenters of oral presentations are encouraged to attend in person. If there are any concerns with being on site, the VTO AMR team will accommodate for a virtual presentation.
- Additional details on the virtual presentation platform will be communicated closer to the event.
- Each session will have a moderator to enforce time limits and facilitate Q&A. Your mic will be muted once you have reached your time limit.


Poster Presentations

- Poster presentations are due no later than April 29, 2022.
- Poster presenters are encouraged to format all content as one poster, rather than a complete slide deck.
- Poster file formatting:
 - You must submit 2 versions of your poster: a .pdf file and a .png (or .jpeg) file
 - For detailed instructions on how to export your poster to a .png or .jpeg file, see next page
 - png or .jpeg file size should be between 3MB and 10MB.
 - Use a 16:9 aspect ratio for best viewing
 - Do not use a transparent background
 - Open the image as full screen and make sure it is readable before sending
- Poster presentations must be recorded and will be available on demand during AMR.
 - Your poster presentation recording should be between 5-7 minutes.
 - For reviewed posters, live Q&A will occur Wednesday, June 22, 2022, 8:00 9:00pm ET. Details will be provided in advance of the meeting


Poster Presentations (Continued)

- To change a file from .pdf to .jpeg or .png:
 - Go to File and then select Export To
 - After that you will select Image and can pick your image type





- To change a file from .pptx to .jpeg or .png:
 - Go to File and then select Export
 - After that you will select Change File Type and select PNG or JPEG under Image File Types



Oral Presentation Time Limits

• Your oral presentation will be 15, 20, 30, 45, or 60 minutes in length as indicated on your invitation-to-present email from ORAU.

Time slot duration	Presentation duration	Questions	Max. <u>presented</u> slides
60 mins	40 mins	20 mins	40 slides
45 mins	30 mins	15 mins	30 slides
30 mins	20 mins	10 mins	20 slides
20 mins	13 mins	7 mins	15 slides
15 mins	10 mins	5 mins	10 slides

Time limits will be <u>strictly enforced</u>.

 A PDF version of the presentation slides will be available for attendees to download from the VTO AMR website just before the meeting. This PDF will not include PowerPoint animations, videos, or Reviewer-Only slides.

Late Information Addition

- Information and research updates that become available following the submission of the presentation but before the AMR may be supplied verbally at the time of the oral or poster presentation.
- No extensions will be granted for presentation submission.
- Any additional information must still adhere to the time limitations.

R&D Evaluation Criteria

All R&D presentations (oral and poster) follow the same content and design guidelines for reviewer scoring.

Criterion	Weight
Relevance	10%
Approach	20%
Technical accomplishments	40%
Collaborations and coordination with other institutions	10%
Proposed future research	10%
Resources	10%

Consider these criteria and weights when creating your presentation!

Slide Titles and Key Results

• **Slide Titles**: Except for the mandatory Title, Overview, and Summary slides, <u>all slide titles and headings</u> <u>should relate directly to the evaluation criteria.</u>

• **Key Results**: The key take-home message for each results slide should be communicated as a banner, header, or bullet (see some examples on p. 45 and 52).

Instructions for Specific Slides

- The following guidelines provide specific information on mandatory slides and the type of information expected within the criteria guidelines. These instructions apply to both poster and oral presentations.
- Your presentation should include:
 - Title Slide (mandatory)
 - Overview Slide (mandatory)
 - Review Criterion Slides (mandatory, one or more slides as appropriate for each review criterion)
 - Summary Slide (mandatory)
 - Technical Backup slides (optional)
 - Reviewer-Only slides (optional)
- The following slides include:

Instruction
Example Slide

(Guidance for constructing the specific slides and sections)

(Examples are from previous AMR presentations)

Title Slide

- Include:
 - Project title
 - Name of the principal investigator
 - Name of the presenter if different from the principal investigator
 - Organization
 - Project ID# (which ORAU will provide to you)
 - Statement: "This presentation does not contain any proprietary, confidential, or otherwise restricted information."

Instruction for all oral and poster presentations, unless otherwise noted

2022 DOE Vehicle Technologies Office Annual Merit Review Presentation

(replace with your title)

P. I. Name (always include)

Presenter Name (if not the P.I.)

Organization Date

Project ID # (this will be provided to you)

This presentation does not contain any proprietary, confidential, or otherwise restricted information









ENABLING HIGH-ENERGY/HIGH-VOLTAGE LITHIUM-ION CELLS FOR TRANSPORTATION: PROJECT COMPLETION HIGHLIGHTS, PART 1


Project ID: BAT252

JASON R. CROY


Argonne National Laboratory June 11, 2019

2019 DOE Vehicle Technologies Office Annual Merit Review

This presentation does not contain any proprietary, confidential, or otherwise restricted information.



Title Slide Examples



Mandatory Overview Slide

- Please prepare an Overview slide formatted and containing the information per the following slide:
 - Timeline (please confirm dates with your DOE HQ/NETL manager(s))
 - Budget (please confirm values with your DOE HQ/NETL manager(s))
 - O Barriers (please list up to three technical barriers and technical targets from the most recent U.S. DRIVE Roadmap addressed by your project to be found at: https://www.energy.gov/eere/vehicles/us-drive-partnership-plan-roadmaps-and-accomplishments. MAT presenters should use the Light-Duty Workshop Final Report at https://www1.eere.energy.gov/vehiclesandfuels/pdfs/wr_ldvehicles.pdf as their guide. If you don't see a report on your subject matter, please contact the relevant Technology Manager.
 - Partners

Overview

Timeline

- Project start date
- Project end date
- Percent complete

Budget

- Total project funding
 - o DOE share
 - Contractor share
- Funding for FY 2021
- Funding for FY 2022 (if available)

Barriers and Technical Targets

- List up to three technical barriers and technical targets from the most recent U.S. DRIVE Roadmap relevant to your project. For a list of roadmaps by subprogram, please see the link below:

 https://www.energy.gov/eere/vehicles/us-drive
 - https://www.energy.gov/eere/vehicles/us-drivepartnership-plan-roadmaps-and-accomplishments
- If you don't see a report on your subject matter, please contact the relevant Technology Manager.

Partners

- Interactions/collaborations
- Project lead

Overview Slide Examples

OVERVIEW

TIMELINE

- Start: October 2017
- End: September 2020
- 50% complete

BUDGET

- Total project funding
- \$6M / 3 years
- \$2M per year / 3 Labs

PARTNERS

- CalTrans Connected Corridors
- HERE Technologies

BARRIERS

- Metropolitan scale networks are too complex to model in reasonable compute time.
- Sensors for capturing dynamics provide limited view and are difficult to mine for relevant information.
- Optimization of energy, travel time and mobility across complex networks has yet to be accomplished for realworld metropolitan scale networks.

OVERVIEW

Timeline

- Project start: October 2018
- Project end: September 2021
- Percent complete: ~15%

Barriers

- · Recycling and Sustainability
- Cost to recycle is currently 5-15% of battery cost
- Material shortage (Li, Co, and Ni)
- Varying chemistries result in variable backend value

Budget

Year 1	\$4,615	
Argonne	\$2650k	
NREL	\$965k	
ORNL	\$550k	
UCSD	\$150k	
WPI	\$150k	
MTU	\$150k	

Recell overcy fractions

Partners

- Argonne National Laboratory
- National Renewable Energy Laboratory
- Oak Ridge National Laboratory
- University of California, San Diego
- Worcester Polytechnic Institute
- Michigan Technological University

Overview

Timeline

Barriers

- Start date: Sept 2017 density above 5 kW/L
- Project end date; Dec 2019
- Percent complete: 70%
- Need <u>Increased Efficiency</u> bring power density above 5 kW/L
- "Reduction in the volume of the components is necessary to enable electric traction drive systems to fit within the increasingly smaller spaces available on the vehicle. Motor volume reduction is limited by the flux density capacities of materials used in current electric steels and electrical conductivity limitations of copper windings"."
- Need higher conductivity electrical conductors

Budget

- ► Total project funding: \$1.15M
 - DOE: \$600,000
 - Industrial cost share: \$550,000
- Future Funds Anticipated: \$ 0

Partners

- CRADA with General Motors Research and Development
- Project lead: PNNL





40.5, DRWE Electrical and Electronics Technical Team Readmap October 2017
https://www.energy.gov/eere/sehicles/no-drive-partnership-plan-roadmaps-and-accomplishments

Relevance

- Relevance counts for 10% of your total project score.
- The title of these slides should make it clear that they are your project's Relevance.
- Information to include:
 - O Describe the objective of your project and what you were to achieve over the past year in the work covered by your presentation.
 - Clearly show how your project relates to the pertinent VTO subprogram area and how it will achieve the goals of that area (refer to the subprogram Annual Progress Report goals linked on the next page).
 - Explain how your project will be relevant to
 - Reduction of energy costs
 - Increased energy security
 - Clean energy technology to move people and goods
 - Describe the impact of your project on addressing the <u>barriers</u> identified in the Overview slide and <u>other specific targets and milestones</u>.

You may verbally elaborate on project relevance in addition to what's on your slide.

Relevance (Continued) VTO Subprogram Goals

LINKS TO 2020 SUBPROGRAM ANNUAL REPORTS

- Advanced Engine and Fuel Technologies
- Analysis
- Batteries
- <u>Electrification</u>
- Energy Efficient Mobility Systems
- Materials

Relevance

Impact

Polymer electrolytes offer increased stability in lithium batteries in comparison to liquid electrolytes. We aim to synthesize new electrolytes that simultaneously have high transport properties and have greater stability against lithium metal for next-generation batteries.

Objectives

- Develop new polymer composite electrolytes to enable lithium metal anodes.
- · Identify failure modes at lithium metal anodes.
- Fundamental studies of the lithium metal/electrolyte interface.



- p |

Relevance . To meet 2025 goals for enhanced peak power (100 kW), specific power (50kW/L), and reduced cost (3.3 \$/kW) in a motor that operates at > 20,000 rpm, improved soft magnetic materials must be · Improved soft magnetic materials will enable high performance nonrare-earth motors · Replacement of permanent magnets with soft magnet materials highlighted in Electrical and Electronics Technical Team (EETT) Roadmap as a potential R&D pathway for meeting 2025 targets £ 1000 2006 2010 2011 2012 2013 2014 2015 2016 2017 Homopolor motor design (courtesy of Payment, Pare Built Met Africa, Dunb Debie, Very Charle Scott Sudhoff at Purdue) that doesn't As seen in Oct. 2017 FETT Roadmap require permanent magnets

Relevance Slide Examples


Sale, Idaho National Laboratory

Relevance

 Reduce risks associated with potential vulnerabilities for high power EV charging infrastructure leading to high consequence events (HCE)

Public Safety

- Impact to the electric grid
- Hardware damage.
- Denial of service
- Data theft or alteration
- With enough time & effort, nearly any connected system can be accessed or compromised



Objective

- . Determine high consequence events (HCE)
- Prioritize HCEs to guide future research efforts
 Based on impact severity & cyber manipulation complexity
- Develop mitigation strategies and solutions
- Feedback solutions, information, and lessons learned to industry

Relevance Carbon - Copper Composites Fully dense Cu-C Composites have been made that show conductivity better than pure copper at elevated temperature Carbon is immiscible with copper so the effort is to see what kind of process can be used to make the composite and... if it actually increases conductivity Possible manufacturing Process Layered Structures (PVD CVD) other thin film Forms of Carbon methods) Graphite Super saturated solutions from ball milling or Reduced Graphene Oxide Magnetron Sputtering Graphene Bulk Composites from melt solidification. Single and Double Wall Carbon Nanotubes Covetic processing (melt solidification in a -metallic or covalent magnetic field?) Hot Extrusion To date, few bulk methods have been successful at demonstrating increased conductivity

Milestones

- Milestones may be presented in a separate slide directly before the Approach section or included as part of the Approach section.
- Include milestones and go/no-go decision points for FY 2022 and FY 2023.

Month/Year	Description of Milestone or Go/No-Go Decision	Status	Lab
March 2019	Report on potential to use AFIDA to quantify phi- sensitivity for three fuels showing phi-sensitivity in published engine combustion studies	Complete	NREL
June 2019	Quantity the effect of blending scetate esters into E10 and BOB on the RVP of the finished fuel	On Target	PNNL
March 2019	Investigate the potential to use the flow reactor for observation of shifts in autoignition mechanism with phi for phi-sensitive fuels, including results of kinetic simulations.	Complete	NREL
September 2019	Using data from Foong and Kolodziej, relate concentration-dependent oxygenate clustering in two and three-component reference fuels to effects on engine performance properties, specifically, RON and MON, as well as HOV measurements from NREL	On Target	PNNL

Month/Year	Description of Milestone or Go/No-Go Decision	Status
June 2018	Conference paper, "Quantifying the Mobility and Energy Benefits of Automated Mobility Districts Using Microscopic Traffic Simulation," presented at the American Society of Civil Engineers – International Conference on Transportation and Development conference held in Pittsburgh, PA	Complete
September 2018	Exercise the AVID modeling toolkit for a real-world deployment	Complete (AMD Simulation for Greenville, SC)
February 2019	Journal paper, "Route and Fleet Size Optimization in an Automated Mobility District: Serving Or demand Mobility with Automated Electric Shuttles," submitted to Transportation Research - Part C	Complete
August 2019	Integration of Mode Choice Model into AMD toolkit Integration of Optimization module into AMD toolkit	On Schedule

Milestones Example Slides

Milestones			
Time	Description (status)		
Dec., 2018	Complete in situ studies of the local cationic ordering during solid-state synthesis of high-Ni NMC layered oxides from the hydroxide counterparts. (complete)		
March, 2019	Identify the roles of Co/Mn substitution in tuning Li/Ni mixing in high-Ni NMC layered oxides. (complete)		
June, 2019	Develop procedures for in situ probing and synthetic control of local structural ordering in compositionally heterogeneous NMC oxides. (on-schedule)		
Sept., 2019	Develop in situ techniques for studying surface reconstruction during synthesis of high-Ni NMC oxides. (on-schedule)		
Sept., 2019	Complete structural/electrochemical characterization of the synthesized high-Ni NMC layered oxides. (on schedule)		
	5		

Herbert Wertheim College of Engineering Approach: Tasks relating to experiments and modeling will be carried out during all three years of the project Tasks 1.1, 2.1, and 3.1 are the three experimental campaigns Tasks 1.2, 2.2, and 3.2 are focused on atomic and mesoscale modeling ■ Tasks 1.3, 2.3, and 3.3 are focused on the macroscale SStAC tool development 1.1: 1% Experimental campaign 1.2: PF model development 1.3: Corrosion model development 2.1: 2rd Experimental campaign 2.2: Mesoscale model development 2.3: Implementation of SStAC tool 3.1: 3rd Experimental campaign 3.2: Validate and apply mesoscale 3.3: Release of SStAC tool 0 3 6 9 12 15 18 21 24 27 30 33 36 Months

Approach

- Approach counts for 20% of your total project score.
- The title of your slides should make it clear that they are your project's Approach.
- Describe overall <u>Technical Approach</u>:
 - Emphasize unique aspects of your work and de-emphasize discussion of equipment used.
 - Discuss how your work addresses the project's technical barriers.
 - Describe how your project is integrated with other research or deployment projects within the pertinent VTO subprogram.
 - Use simple statements so that scientists and engineers, not experts in your area, can readily understand the explanation of your approach.
- Include the planned <u>milestones</u> and <u>go/no-go decision points</u> for FY 2022 and FY 2023 and current status towards them (if not shown in a separate Milestone slide).

APPROACH


We propose to enable improved electrode manufacturing processes by rapid feedback on transport and mechanical problems associated with the microstructural arrangement of particles. A range of new experimental and modeling tools have been developed to measure and predict *localized* properties.

- Construct novel micro-N-line surface probes that can sample local conductivity of intact battery electrodes
- Experimentally compare tradeoffs of and effects on electronic and ionic transport (collaborations with NREL, ANL, Navitas, K2, others)
- Construct a first-principles particle-dynamics model that can predict electrode microstructure and conductive pathways
- Construct a laser-based acoustic probe for rapidly determining mechanical properties of electrode films

.

Approach: Strategy Locally control the magnetic and mechanical properties of motor laminates by material alloying and processing Magnetic Non-magnetic Chairm For (I) second: (I) product (I) product (II) (II) (II) (III) (II posts and bridges posts and bridges Calculated 49% · Decrease magnetic flux leakage Enhance mechanical integrity · Improve machine performance 221% 498% 500 1000 1500 2000 Speed (rpm)

Approach Slide Examples



Technical Accomplishments and Progress

- Technical Accomplishments and Progress count for 40% of your total project score.
- The title of these slides should make it clear that they are your project's Technical Accomplishments and Progress.
- Each slide should include a summary "take-home" message, especially those that contain data.
- Describe the most important technical accomplishments achieved during the reporting period and their significance. Specifically, address last year's reviewer comments regarding technical accomplishments and progress as well as progress to date for new projects.
- Include relevant data to support your accomplishments.
- Relate the accomplishments to project milestones, barriers, objectives, and technical targets.
- Benchmark the progress versus FY 2021 results, if applicable.

Technical Accomplishments and Progress (Continued)

- Include no more than one slide on previous accomplishments and <u>CLEARLY indicate work previously</u> <u>presented versus new work.</u>
- To assist the reviewers evaluating your work, please include bullet comments of the key points on each slide.
- Include sufficient slides to explain what was done leading to the technical accomplishments.
 - However, please limit your slides to the time you have available 10 minutes for 15-minute presentations, 13 minutes for 20-minute presentations, 20 minutes for 30-minute presentations, 30 minutes for 45-minute presentations, and 40 minutes for 60-minute presentations time limits will be STRICTLY enforced.
- Though your presentation will be in color, it is best to choose colors and data symbols that can be easily distinguished in black and white for those reviewers using hardcopies.

Accomplishment Slide Examples

NREL (Fioroni) Mechanistic Basis of Phi Sensitivity

Changes in reaction chemistry with phi observed, but higher pressures required to observe phi-sensitivity relevant to engine conditions

- PRF80 demonstrated phi-sensitivity in HCCI engine studies
- PRF80 was examined in atmospheric pressure flow reactor at 600 K - 1000 K and phi of 0.25, 0.5, and 1
- · Small changes in reactivity with phi were observed, however higher pressures are required to observe low-temperature and intermediate-temperature reactions believed to be related to phi-sensitivity
- · Reactor modifications are underway to increase pressure to the 5 to 10 bar range and to allow more precise quantification of formaldehyde
- · Future improvements proposed to achieve even higher pressures

HCCI: homogeneous charge compression ignition




Photo by Werner Slocum, NREL 55025

Impact: With modifications to achieve higher pressure, flow reactor experiments can be utilized to identify and quantitate key species in autoignition mechanisms that can explain phi-sensitivity

Accomplishment to Date FY 19 Electrochemical reactions of Li plating/stripping, dendrite formation and inactive Li formation $U^0 \rightarrow U^+ + e^-$ Inactive Li Metallic Li² Li plating Li stripping ☐ In a Li metal battery, during the plating, Li* deposits on the fresh Li. In commercial carbonate-based electrolytes, Li deposits exhibit whisker-like morphology. ■ If the dissolution occurs firstly on the roots of the Li whiskers, the top parts will disconnect from the electronic conductive network and thus become 12 electrochemically inactive, forming inactive Li.

C. Fang, X. Wang, Y.S. Meng, Trends in Chemistry, 2018, in print



Responses to Previous Year Reviewers' Comments

- All VTO AMR reports are posted on the VTO website along with Annual Progress Reports at https://www.energy.gov/eere/vehicles/annual-progress-reports.
- Last year's presentations can be found at: https://www.energy.gov/eere/vehicles/annual-merit-review-presentations.
- If your project was not reviewed last year, please indicate as such on the slide.

■ Prior AMR Comments/Questions



"It is not clear why single wide base tire was not selected for this program."

- Current Market: 90% Dual
- Market Sensitivities
- Highest Tire Life: Duals
- Highest Retread Rate: Duals
- Lowest Weight: Wide Base
- Tire Construction
- Vastly Different
- Not Transferrable
- · Commercial Value > Weight Penalty





Duals vs. Wide Base

Responses to Previous Year Reviewers' Comments

- The TEEM project was not reviewed in 2018, but at the 2017. AMR. Two main concerns were:
- "validation and verification of the model was not discussed." during the presentation and it was unclear to the reviewer whether this step is occurring or not"
 - Response: MA3T and MA3T-China have been calibrated to historical sales and price data. MAST-MC inherits all calibration of MAXI and also calibration on share mobility PMI share. Validity of these models are achieved though peer reviews on the usefulness. transparency, consistency and logicality (Senge and Forester,
- Alternative specific constants for both choice and choice category; how ASOs are specified for future
 - Response: Because adding an ASC for a choice category can be equivalent to adding a constant (may not be the same value) to all choices in that category. With this spirit, we chose to adjust ASCs. for each choice to achieve the same modeling outcome. ASCs for the future are determined based on certain vehicle class-level essumptions. For example, all car choices ASCs are assumed to converge to the same value in 2050, while all SUV choices' ASCs. converges to the same value, but different from that for cars. Documentation are being prepared.
- The MA3T-MC work was reviewed in 2018 (review scores on the right). The project at 2018 AMR received overall positive assessments by reviewers. Almost all comments were neutral or positive. No concerns were raised.



CAK RIDGE MISSE

Reviewer Comment Slide Examples



Response to Previous Year Reviewers' Comments



The reviewer complimented this project for having developed exceptional methods for better measuring/predicting fuel properties and generating valuable data for mechanism validation. The reviewer stated that the project could be significantly better if the flow reactor can be upgraded to be capable of operating at higher pressure, which is critical to validate reaction mechanisms at conditions closer in ICEs.

We thank the reviewer for complimenting the progress of the project to date. We strongly agree that upgrading the flow reactor to operate at elevated pressures is an important task and have begun to take steps to increase our pressures to 5-10 atmospheres (atm). In addition, we are working on a white paper proposing to operate to even higher pressures of up to 50 atm.

Collaboration and Coordination with Other Institutions

- Collaborations and Coordination with Other Institutions count for 10% of your total project score.
- The title of these slides should make it clear that they are your Collaborations and Coordination with Other Institutions.
- List your project collaborators, indicating:
 - Relationship (for example, prime, sub, etc.)
 - Industry, university, National Laboratory
 - Within or outside VTO
 - Extent of the collaboration
- Describe the quality of collaborative relationships and their importance in achieving the project's objectives.

44 Collaboration





 Purdue University (Scott Sudoff) – Motor design, prototyping, land testing



 IIT – Design, construction, and dynamometer testing of 3 reduce power prototype machines



 ORNL – High-Fidelity Multiphysics Material Models for Electric Motors



 Ames – Additional expertise in magnetic material fabrication, processing, and characterization



 NREL – Advanced packaging, reliability, prognostics, thermal management

Collaborations

- Brookhaven National Lab (L. Wu, Y. Zhu, A. Kiss, J. Thieme, K. Chen, M. Ge, X. Xiao, W-K. Lee, E. Dooryhee)
 - Synchrotron techniques/capabilities for characterization of cathodes
 - Advanced electron microscopy imaging and spectroscopy of cathodes
- Argonne National Lab (Z. Chen, K. Amine Y-H. Shin, Y. Ren, C. Sun, D. Abraham, V. Srinivasan)
 - Synthesis and characterization of high-Ni NMC
 - Characterization of the materials from the Materials Engineering Research Facility (MERF)
 - Modeling of the synthesis
- Lawrence Berkeley National Lab (W. Sun, G. Ceder)
 - Theoretical prediction of the phases/ordering in high-Ni NMC
 - Characterization of cathode materials
- Oak Ridge National Lab (J. Nanda, A. Hug)
 - Neutron characterization of high-Ni NMC
- Stony Brook U. (E. Takeuchi, K. Chen)
 - Synthesis and characterization of high-capacity cathodes

Collaboration Slide Examples

Collaboration and Coordination

OSU's Impulse Manufacturing Lab. Fontana Corrosion Center, CDME: Facilities and expertise for impact welding, process development, standard corrosion testing at coupon and subcomponent level in addition to program management.



Magna (Sub): CAD, CAE, prototype build and testing.



Coldwater Machine Company (Sub): equipment builder and system integrator



PNNL: Numerical simulation of impact welding process, interfacial wavy pattern and jetting, and mechanical performance of the welded coupons



Ashland: Supplies structural adhesives for galvanic corrosion protection.
 Also provides in-house testing



 Accomic: Supplies 5xxx and 6xxx sheets for screening tests and prototype build



 Hydro: Supplies 8xxx and 7xxx grade aluminum extrusions for possible chassis and body side applications

HYDRO

22

PACCAR SuperTruck II Partner

Partnerships/Collaborations



16

Remaining Challenges and Barriers

• Highlight the key remaining challenges and barriers to meeting the project objectives.

• The remaining challenges and barriers should provide justification and support for the future plans in the following slide.

Remaining Challenges and Barriers

- Gathering information on proprietary motor-integrated power electronics and thermal management solutions (not readily available or open source) for evaluation and comparison
- Identifying driveline fluids suitable for direct cooling of highvoltage (400V-1,200V) power electronics
- Potential need for quantifying electrical (dielectric) properties at high voltages for selected candidate fluids => requiring development of additional in-house fluid characterization capabilities or identifying external providers of similar services

Remaining Challenges and Barriers

- Main barriers: Capacity fading has been the main obstacle to realization of high-Ni NMCs with true commercial potential for lithium-ion batteries.
- Technical challenges: Synthesis of specific cathode materials by design has proven difficult due to the complexity of the reaction involved in chemical synthesis, and the high sensitivity of the phases, stoichiometry and morphology to synthesis parameters (precursor, sintering temperature, atmosphere, heating/cooling rates...)
 - Synthesis of high-Ni NMCs is even more challenging, due to the demanding requirement on the control of both cationic ordering in the bulk and surface/interfaces (as illustrated).

Barriers and Challenges Slide Examples

REMAINING CHALLENGES AND BARRIERS

- Cavitation in multi-hole nozzles is significantly more complicated than in single-hole
 - Fuel "tums a comer"
 - Needle motion can generate complicated flows in sac
 - String cavitation can reach from hole-to-hole
 - Need measurements in multi-hole nozzles
- The link between cavitation and nozzle erosion is not well-understood
 - Need reliable predictions of cavitation, AND models of erosion
 - Models are being developed, but fundamental data is lacking.
- Flash-boiling and spray collapse can cause sudden, extreme changes in the fuel/air mixture
 - This cannot be reliably predicted, need systematic measurements
- Sprays impinging on walls can cause emissions challenges
 - Current wall-wetting models rely on 20-year-old measurements of simplified systems, can't accurately predict splashing, evaporation, spreading

Arganra 📤

Proposed Future Research

- Proposed Future Research counts for 10% of your total project score.
- The title of this slide should make it clear that the slide shows your Proposed Future Research.
- Explain what you plan to do during the rest of this year (FY 2022) and next year (FY 2023). Provide justification for future plans.
- Add the statement to all slides with future-looking statements, "Any proposed future work is subject to change based on funding levels."
- Be as specific as possible; avoid blanket statements.
- Highlight upcoming key milestones.
- Address how you will deal with any future decision points during that time and any remaining issues
 or barriers, including any alternative development pathways under consideration to mitigate risk of
 not achieving milestones.

PROPOSED FUTURE WORK IN FY2019 AND FY2020

- Heavy Duty Injection
- 3D Measurements of cavitation in multi-hole injector
- Non-destructive x-ray measurements of geometry will be used to track nozzle erosion over time
 - Collaboration with Kolodziej, Caterpillar
 - Collaboration with Som, Magnotti
 - Searching for collaboration with industry partner
 - Data will be used to support development of erosion models

Light Duty Injection

- Will transition to the Light Duty Combustion Consortium
- Flash boiling sprays explore parametric variations
- Measurements of spray collapse
- Sprays impinging on surfaces
 - X-rays can quantify the density distribution, surface area, SMD
 - Before and after spray impact
 - Effect of wall temperature (cold start), roughness.

Any proposed future work is subject to change based on funding levels Agrand

Proposed Future Research

Key Challenges

- Demonstration of scalability for industry adoption.
- Optimizing core loses while maintaining manufacturability Casting at such high temperature requires advanced cooling technology for copper wheel.



/erify material manufacturability

Future work

- · Improve coating, stamping and stacking of thin laminates.
 - ✓ Scalability
 - ✓ Cost



Perfect Fe - 6.5 wt.% Si produced by

Any proposed future work is subject to change based on funding levels

Future Work Slide Examples

Proposed Future Research

FY19: Model Validation: Single Cylinder Prototype

- Optimize prototype parameters
- · Detailed design of prototype
- Fabricate prototype
- Dynamometer testing and model validation
- Develop system control strategy

FY20: Performance Demonstration: Multi-Cylinder Prototype

- · Optimize multi-cylinder prototype
- Detailed design: include displacement actuation
- · Fabricate prototype
- · Hardware-in-loop: controller evaluation and performance demonstration

Any proposed future work is subject to change based on funding levels





Future/On-going Work (FY19-20)

- Continue working on synthetic design of high-Ni NMC, with focuses on
 - impact of synthesis conditions on surface/interfaces and the electrochemical properties (See preliminary results in Backup Slide 23)
 - local cationic inter-diffusion/ordering in individual particles with compositional inhomogeneity (as demonstrated in Backup Slide 24)
- Develop new in situ techniques and capabilities, specialized for probing synthesis reaction under real conditions
 - simultaneous or combined X-ay scattering/spectroscopy/imaging for multimodal characterization
 - techniques capable of high spatial resolution and/or high sensitivity to local structural ordering at surface/interfaces
- Apply the established approaches to synthetic design of
 - NMC811 and those with higher Ni content
 - low-Co/Co-free cathode materials

Any proposed future work is subject to change based on funding levels.

Mandatory Summary Slide

- Summarize the key points you wish the reviewers and the audience to take away from your presentation.
- For those projects that are working toward specific technical targets, include a <u>Summary Table</u> summarizing key technical results to date in FY 2022 compared to FY 2021 results and the technical targets.

Summary Slide Examples

Summary

- Modifying traditional planar flow casting methods to simultaneously achieve disordered phase with larger grain size for the 6.5% Si steel.
 - Reduce core losses yet maintain formability
- Demonstrated planar flow casting system with model alloy
 - continuous ribbons with 10 mm width were obtained.
- . Developing 25 mm wide ribbon of 6.5% Si steel
 - Melting point is ~300 °C higher than the model alloy

A

13

Accomplishments

Summary

Pacific Northwest

- ✓ We have used Shear assisted extrusion and processing (ShAPE) to fabricate Coppercarbon composite wire with 0.1° diameter.
- ✓ We have developed extrusion tools and dies for producing Copper-carbon composites.
- We are developing fully dense extrudates by conducting parametric studies of the process parameters


Technical highlights

- Mixed and densified copper and carbon powder to a solid puck and extruded coppercarbon composite wire with good integrity and properties
- We have seen a verifiable increase in conductivity as high as 3% over ICAS Copper
 Wire manufacturers we have consulted consider this a significant increase

Impact toward VTO Objectives


This project will leverage a new manufacturing process to manufacture high conductivity were by an unconventional method involving high shear and plastic deformation. It could be disruptive to the way automotive traction drives are constructed, sized or powered. The high conductivity wire for stator winding could spill over into permanent magnet motor space where there are also strong incentives to improve motor performance.

22



Technical Backup Slides

- Please include a "divider" slide if you are including backup technical slides (maximum of five).
- These optional backup technical slides will be available for your presentation and will be included in the web PDF files released to the public.






Experimental Parameters Across Labs

	AML	MREL	ORNL	SNL
Engine/Moin-Chamber			0013	
No. cylinders	1	(chamber)	ė.	1
Displacement [I/cyl]	1.85	0.36 (chamber vol.)	2.13	2.14
Bare [mm]	190	100 (diamber diem.)	132	140
Squish height (mm)	0.6	40 (chumber length)		5.5
Hand districtes [core]	1683	more (mainal E/L and L/C post).		100
Bowl depth [mm]	26	none (soriout IV) and I/Cport).		15.5
Main-sharehor fasting	Funigation	Mars Flow Controller	Surrigation and/or DI	Eurolgation and/or Di
Initial Pre-Chamber			MARLE	
Volume (cc)	4.67	4.5	1.5 - 6.0	55-64
Number of holes	×	×	0,0	×
Hole diameter [mm]	Lb	1.5	1115	1.6
testuded angle [degrees]	180	130	130	180
Pre-chamber fueling	Check valve	DIBosch (Ford SOI part)	DI	DI Boschi) rord GDI parti
Sports plug	MR - NGK FRAFHIX	MCK FRREHIT (Mini Rimfire can also be packaged)	MR - Denso/NSK	Mini Birofire
Ignition	Loutinous	Cycles are user selectable.	Continuos	Migration
Measurements				
Eshaust emissions	Full exhaust gos unalysis NO ₂ , THC, CH ₆ , CO, CO ₂ , O ₃ , and CO ₃ (ESR)	NO $_{p}$ CH $_{p}$ CO $_{p}$ CO, O $_{p}$ + detailed HC speciation	5 Gar Bench + CII _q + FTIR (exhaust/ FGR) + advanced speciation /PM as needed	Kone
Chember pressures	Main and Fre	Main and Fro	Main and Pre	Main and Pro
Indicated efficiency	Yes	MA	Vec – all 6 cyl	Yes
Brake efficiency	Limited (1 cylisclus)	NA.	fev	No
Optical diagnostics	AVI VisioScope possible with cylinder head modification	No	No	Yes

Backup Slide Examples

TECHNICAL BACKUP SLIDES

CONVERGE simulations setup



LTP ignition in SNL calorimeter

- RANS modeling (RNG k-e).
- SAGE solver (well stirred reactor + multi-zone). GREMEGES 0.
- T = 343K, p = 1.3 bar, 6 = 1.0
- Base 2.0 mm, AMR 0.25 mm, Embedding 0.0625 mm.
- Total call count = 350k-550k (increase due to AMR).
- Combined energy/O deposition from VIZGLOW

PC ignition in SNL optical vessel and ANL single-cylinder engine

- RANS modeling (RNG k-c)
- SAGE solver (well stirred reactor + multi-zone).
- Acamos Mechanism 1.3 (253 species, 1542 reactions) for C₂H₂
 Co-Optima mechanism (122 species, 647 reactions) for Alleyton
- T = 500K, p = 5 bar, 6 = 1.0 (Sandia vessel)
- 1500 rpm, nIMEP 3.2 bar, 4 =1 (Argonne single-cylinder).
- Base 1.0 mm, AMR 0.5 mm, Embedding 0.125 mm.
- Ignition by thermal energy deposition (spherical source, 50 mJ)



Technical Backup Energy Consumption Measurements (Battery Electric test vehicle),

Unlike our combustion test vehicle, the specification of the packets sent to the OBD port of our electric Nissan Leaf vehicle are not published by the vehicle manufacturer.

Our OBD Logger App was extended to collect the battery's current, voltage, state-of-charge (SOC), and capacity via OBD port of the Nissan Leaf.

· To estimate the resistive energy loss of the battery, we estimated the battery's internal resistance value using the collected OBD data.


charging/discharging current (I) are available via OBD port. By linear regression² we obtained $R_{\nu} = 0.1$ (ahm).



 $v_{\alpha c} = a.SOC(t) + b$ $v_T = a.SOC(t) + R_s.I + b$



• The terminal voltage (v_r) , and



Amounting Open Charlet Walkage (1922) is a linear from Hornal William

Reviewer-Only Slides

- These optional slides may be included in your submission but will not be part of your oral presentation they will be provided to reviewers only. These optional slides will be removed from the presentation file and the web PDF files.
- Precede these slides with a divider slide marked "Reviewer-Only Slides".

Publications and Presentations

- List any publications and presentations that have resulted from work on this project.
- Use at least 12-point font.
- Please verify that the links in your slides are active.

Note: This slide is for reviewers only; it is not to be presented as part of your oral presentation. These Reviewer-Only slides will be included in the copy of your presentation that will be made available to the reviewers.

Critical Assumptions and Issues

Address three to five critical assumptions and/or problems affecting the outcome of your project.
 Briefly describe the problem as well as potential solutions, both within and beyond the scope of the project.

Exclude funding issues.

Note: This slide is for reviewers only; it is not to be presented as part of your oral presentation. These Reviewer-Only slides will be included in the presentation file made available to reviewers.

Questions?

Contact us by email: VTAMR@ORAU.org